



## QUICK SCR = N

The leading slat fencing system

Designed & manufactured by Aluminum Outlet

Save time & money

Quickscreen horizontal slat system fencing system provides you the most Premier slat system in the market. We have been supplying horizontal slat systems to the fencing and construction sector for over 15 years, so our system is proven and tested. Our range is designed with current architectural trends in mind providing that clean contemporary look.

Our 2.56 "and 6" slat systems are available to you for immediate delivery from our warehouses.

We offer an array of install options including.

- 1. 2.56" Post and side frame system. easy assembly system with comprehensive installation options
- 2. Our new 4" post and side frame system designed to handle all types of extreme weather including wind loads up to 170 Mph or for that customer looking for a Bulkier look.
- 3 Our new Universal post system (one post does all) Premium finish with slats inserting into the post providing a streamline finish.
- 4. Our original 1 way and 2 way. Premium finish same as Universal post just different posts for different applications.

Quickscreen Horizontal slat features and benefits

- Unique patented friction assembly, eliminating the need to use fixings to secure off the slats (quick assembly)
- Modular system which is easily width and height adjustable. Simply cut to suit opening.
- Array of install options to cover all types of applications.
- Proven system with over 15 years supplying to the market.
  Product engineered to meet all types of weather conditions.
- System provides privacy whilst still allowing airflow between slats.
- Complete system including gates and modular sliding gates options.
- Limited lifetime warranty


Why Quickscreen?

Due to our extensive experience with horizontal slat fencing we have perfected the system to provide you a slat system that is:

- Trial and tested to meet all types of applications and weather conditions.
- Very easy to assemble and install.
- Most importantly the business model has been perfected providing you a product with very healthy margins and return.

Call us for more information on our Reseller and Distributor business models.


# HIGHEST QUALITY FINISHES Our range of genuine AAMA 2603 powder coat finishes has been carefully selected to include the most sought after colors on offer. All components are suitably pre-treated prior to powder coating and are applied by







**6" SLAT BETWEEN POSTS** 



2.56" & 6" COMBO SLAT BETWEEN POSTS



QUICK SCR N HORIZONTAL SLAT DESIGN OPTIONS

2.56" SLAT BETWEEN PILLARS



**6" SLAT BETWEEN PILLARS** 



2.56" & 6" COMBO SLAT BETWEEN PILLARS



#### 1. QS-TP

Universal post flat top plate (QTY 1/post)

#### 2. QSP-65HD 2413 3WAY Quickscreen Universal Post 95" Long

#### 3. QSP-SPACER-9-50PK Quickscreen 3/8"

#### - QSP-SPACER-12.7-50PK Quickscreen 1/2"

#### - QSP-SPACER-25.4"-50PK Quickscreen 1"

#### 4. QS-SPACER-2413

Snap in spacer/infill (23" spacer comes with all posts as starting spacer)
95" length required for 1 way- start/end post and gate posts


#### 5. XP-65BP-SETU

4.5" x 4" Post Base Plate (w/screws)

#### 6. XP-65DC-2P

Quickscreen 2PC Domical Cover

7. Quickscreen 2.56" or 6" slat (refer QTY required page 4 and 7)




One post for corners, inline and ends as well as gate posts. (Need to also order QS-spacer-2413 for gate and end posts)

#### When is this install method good to use?

• Suitable install method for most fence application as premium finish and cost effective. Slats go into the post.








#### When is this install method good to use?

- When you have existing Pillars or posts to install fence between. Use between fence pillars or in patios & pergolas.
- Easiest install method when need to step the fence.
- When need fence panel higher than 6' high. Can make panel up to 95" high with combination of longer frame, full post, and post extension.
- Best system when you need the post to go 3' into the ground (frost line) for a fence 6' high. Also need post extension.
- When using the 135° adaptor to do a 45° corner.



#### When is this install method good to use?


- This system has been specifically designed for area's where the fence needs to meet severe weather environments.
- Designed for fences that need to handle wind loads above 100 MPH.
- Has been designed to withstand Wind loads up to 170 MPH.
- Can also be used in all applications highlighted under standard side frame and post system

J



## QUICK SCR≡N 2.56" STANDARD SLAT





## QUICK SCR = N SLATS - 2 PACK

2.56" WIDE x 95" LONG

ORDER CODE: QSP-2415SLAT-2PK




PROFILE	DESCRIPTION	LENGTH	QTY
	2.56" x .65" Slat	95"	2

## QUICK SCR N SLATS - 2 PACK

2.56" WIDE x 71" LONG


ORDER CODE: QSP-1800SLAT-2PK



PROFILE	DESCRIPTION	LENGTH	QTY
	2.56" x .65" Slat	71"	2


SLAT PANEL HEIGHT	QTY REQUIRED QSP-SLAT-2PK (BASED ON 3/8" SPACING)
1' HIGH	2 - (11.4")
2' HIGH	4 - (23.1")
3' HIGH	6 - (34.85")
4' HIGH	8 - (46.5")
5' HIGH	10 - (58.3")
6' HIGH	12 - (70")
7' HIGH	14 - (81. <i>75</i> ")
8' HIGH	16 - (93.5")

## QUICK SCR N SLAT - 96" BOXED 72" HIGH



## QUICK SCR N SLAT - 72" BOXED 72" HIGH

ORDER CODE: QSP-1800SLAT-PK




72"

PROFILE	DESCRIPTION	LENGTH	QTY
	2.56" x .65" Slat	71"	24

72" WIDE x 72" HIGH (EXCLUDES POSTS)

Images & drawings are not to scale Images & drawings are not to scale



# QUICK SCR N SLATS - 2 PACK 5.91" WIDE x 95" LONG ORDER COD

ORDER CODE: QSP-150-2415-SLAT

 PROFILE	DESCRIPTION	LENGTH	QTY
	5.91" x .65" Slat	95"	1


# QUICK SCR N SLATS - 2 PACK 5.91" WIDE x 71" LONG ORDER COD

ORDER CODE: QSP-150-1800-SLAT



PROFILE	DESCRIPTION	LENGTH	QTY
	5.91" x .65" Slat	71"	1

SLAT PANEL HEIGHT	QTY REQUIRED QSP-150-SLAT (BASED ON 1" SPACING)
1' HIGH	2 - (12.3")
2' HIGH	4 - (26.5")
3' HIGH	5 - (33.5")
4' HIGH	7 - (47.25")
5' HIGH	9 - (61")
6' HIGH	11 - (69")
7' HIGH	13 - (82")
8' HIGH	14 - (95.5")






## QUICK SCR N 95" SIDE FRAME - 2 PACK

\*FULL POST, POST CAP AND SLATS NOT INCLUDED

ORDER CODE: QSP-2400-SF-2PK




PROFILE	DESCRIPTION	LENGTH	QTY
	1.1" x 1.26" Side Frame	95"	2



## QUICK SCR N 71" SIDE FRAME - 2 PACK

\*FULL POST, POST CAP AND SLATS NOT INCLUDED

ORDER CODE: QSP-1800-SF-2PK



PROFILE	DESCRIPTION	LENGTH	QTY
	1.1" x 1.26" Side Frame	71"	2



## QUICK SCR N SIDE FRAME CAP - 2 PACK

ORDER CODE: QSP-EP-2PK



PROFILE	DESCRIPTION	LENGTH	QTY
0	QSP-EP-2PK	1.10" × 1.26"	2







#### 50 PACK Spacer blocks

%" SPACERS

Order Code: QSP-SPACER-9-50PK

- Aluminum spacers
- · Snaps into Quickscreen post
- Fast and easy install with post, slats and spacers

#### Powder coat colors —















• Fast and easy install with post, slats

Order Code: QSP-SPACER-12.7-50PK















#### Quickscreen Post / Side Frame infill spacer 95"

Order Code: QS-SPACER-2413

- Can use to modify post configuration
- Can be cut down for custom spacing or to fill gaps in on post.

50 PACK

Spacer blocks

½" SPACERS

Aluminum spacers

and spacers

· Snaps into Quickscreen post

Powder coat colors —

#### Powder coat colors —

TECH SPECS

• PP 255 / AP 255

with 8 foot posts • lxx = 464.62 x 10E3 mmE4 • lyy = 464.62 x 10E3 mmE4

flat aluminum top plate.

• 0.125" wall thickness



50 PACK

Spacer blocks

· Snaps into Quickscreen post

• Fast and easy install with post, slats

Order Code: QSP-SPACER-25.4-50PK

1" SPACERS

Aluminum spacers

and spacers



• 2 9/16"x 2 9/16" larger profile, heavy duty post

• Screw flutes to screw on base plate if required · Aluminum powder coated press-in top plate included

4x screw flutes in post allow tight fit of press in

Optional base plate can be attached using screw flutes for base plated post installations.






2 <sup>9</sup>/<sub>16</sub>" x 2 <sup>9</sup>/<sub>16</sub>" heavy duty post 72", 95" & 108" LONG

Order Code: QSP-65HD 2413/2743 FP Use with side frame.

Need to order: XP-65-TP or QS-TP post cap.



#### Powder coat colors —











#### 4" Square Post

72", 95" & 108" LONG Order Code: QSP-65HD 2413/2743 FP

Use with side frame.

Need to order: XP-65-TP or QS-TP post cap.



#### Powder coat colors —














#### **TECH SPECS**

- PP 255 / AP 255
- $\cdot$  2  $^{9}/_{16}$ "x 2  $^{9}/_{16}$ " larger profile, heavy duty post
- 0.125" wall thickness
- Screw flutes to screw on base plate if required
- · Aluminum powder coated press-in top plate included with 8 foot posts
- lxx = 464.62 x 10E3 mmE4
- lyy = 464.62 x 10E3 mmE4

4x screw flutes in post allow tight fit of press in flat aluminum top plate.

Optional base plate can be attached using screw flutes for base plated post installations.







39 ½

#### 2.56"x2.56" post flat top plate POWDER COATED ALUMINUM

Order Code: XP-65-TP

- Alloy ADC12 aluminum plate .12" thick
- Press into post screw flutes for secure fixing
- 8 foot posts come with free top plate included
- only puchases if extra top plates are required.

#### Powder coat colors —











## Two part domical cover

POWDER COATED ALUMINIUM Order Code: XP-65-DC-2P

- Suits 2.56"x2.56" post with base plate
- 4.8"x4.17" outer 2.64" x 2.64" inner
- · Alloy ADC12
- · Cover can be fitted to posts after fence is installed.

#### Powder coat colors —









#### **Quickscreen Post Extender** Aluminum Order Code: QSP-65HD-POSTEXT • 2.25" x 2.25" x 391 ½ "

- Suits 2.56" x 2.56" Heavy Duty Post
- For use when posts need to go into ground more than 24" or fence higher than 6' (will also require side frame)





#### **Universal Post Flat Top Plate**

POWDER COATED ALUMINUM





#### Powder coat colors —











#### Two part domical cover

POWDER COATED ALUMINIUM

Order Code: XP-65-DC-2P

- Suits 2.56"x2.56" post with base plate
- 4.8"x4.17" outer 2.64" x 2.64" inner
- · Alloy ADC12
- · Cover can be fitted to posts after fence is installed.

**50 PACK** 

Spacer blocks

· Snaps into Quickscreen post

Powder coat colors —

• Fast and easy install with post, slats

1" SPACERS

Aluminum spacers

and spacers

#### Powder coat colors —













#### **50 PACK** Spacer blocks

%" SPACERS

Order Code: QSP-SPACER-9-50PK

- Aluminum spacers
- · Snaps into Quickscreen post
- Fast and easy install with post, slats
- and spacers





Powder coat colors —









and spacers

**50 PACK** 

Spacer blocks

½" SPACERS

Aluminum spacers

· Snaps into Quickscreen post

Powder coat colors —

• Fast and easy install with post, slats



Order Code: QSP-SPACER-12.7-50PK









Order Code: QSP-SPACER-25.4-50PK





13



## Quickscreen Post / Side Frame infill spacer 95"

Order Code: QS-SPACER-2413

- Can use to modify post configuration
- Can be cut down for custom spacing or to fill gaps in on post.

#### Powder coat colors -
















Universal post base plate set 1x base plate & screws. Suits 2.56" posts. POWDER COATED Aluminum

Order Code: XP-65BP-SETU

- 4.53"x4" base plate (.5" thick) with fixing holes
- Simply screw base plate into post screw flutes
- 12G screws included in set



Powder coat colors —












## QUICK SCR N POSTS - 1 WAY POSTS BOXED




PROFILE	DESCRIPTION	LENGTH	QTY
	2.56" x 2.56" 1 Way Post	95"	1
	Post Insert	24"	1

Powder coat colors —



## QUICK SCR N POSTS - 2 WAY POSTS BOXED

ORDER CODE: QSP-65HD-2413-3WAY



PROFILE	DESCRIPTION	LENGTH	QTY
	2.56" x 2.56" 2 Way Post	95"	1
	Post Insert	24"	2

Powder coat colors —








## QUICK SCR IN UNIVERSAL POST

ORDER CODE: QSP-65HD-2413-3WAY





PROFILE	DESCRIPTION	LENGTH	QTY
	2.56" x 2.56" Universal Post	95"	1
	Post Insert	24"	2
	Post Insert	95"	2

#### Powder coat colors —











#### Post flat top plate

POWDER COATED ALUMINUM

Order Code: XP-65-TP

- Alloy ADC12 aluminum plate .12" thick
- Press into post screw flutes for secure fixing

#### Powder coat colors —














#### Universal Post base plate set (suits full post, 1 way, 2 way and universal post) 1x base plate & screws

POWDER COATED Aluminum

Order Code: XP-65BP-SET

- 4.53"x4" base plate (.5" thick) with fixing holes
- Simply screw base plate into post screw flutes
- 12G screws included in set














#### **Universal Post Flat Top Plate**

POWDER COATED ALUMINUM

Order Code: QS-TP • Alloy ADC12 aluminum

plate .12" thick • 2 x screws included



#### Powder coat colors -











#### Two part domical cover

POWDER COATED Aluminum

Order Code: XP-65-DC-2P

- · Suits 2.56"x2.56" post with base plate
- 4.8"x4.17" outer 2.64" x 2.64" inner
- · Alloy ADC12
- Cover can be fitted to posts after fence is installed.

#### Powder coat colors —









#### **Quickscreen Post / Side** Frame infill spacer 95"

Order Code: QS-SPACER-2413

- Can use to modify post configuration
- · Can be cut down for custom spacing or to fill gaps in on post.

#### Powder coat colors —





50 PACK

Spacer blocks

1" SPACERS

 Aluminum spacers · Snaps into Quickscreen post

and spacers









#### 50 PACK **Spacer blocks**

%" SPACERS

Order Code: QSP-SPACER-9-50PK

- Aluminum spacers
- · Snaps into Quickscreen post
- Fast and easy install with post, slats and spacers

#### Powder coat colors —















½" SPACERS

Order Code: QSP-SPACER-12.7-50PK

- Aluminum spacers
- · Snaps into Quickscreen post
- Fast and easy install with post, slats and spacers

#### Powder coat colors —













Powder coat colors —




Order Code: QSP-SPACER-25.4-50PK

· Fast and easy install with post, slats







## ACCESSORIES & ADDITIONAL INSTALL OPTIONS



## Center support rail


71" LONG

Order Code: XP-1800-CSR

#### OPTIONAL EXTRA

Commonly used for screens 6' or wider to provide strength & rigidity to panel

Snap-on cover hides fixings - provides slimline sturdy support rail with no visible fixings










#### TECH SPECS

- PP 126 / AP 188
- Alloy 6063-T5
- Screw fix center support rail to each slat
- Includes 2x screw flutes for press-in top cap
- · Top cap sold separately
- lxx = 1.73 x 10E3 mmE4
- lyy = 26.34 x 10E3 mmE4






#### Center Support Rail Cap 3MM THICK

Order Code: XP-CSRC-B


- Black nylon cap
- Simply press into screw flutes in center support rail
- Easy and fast fitting of cap



#### 10 PACK Slat locking clip

Order Code: XPL-SLATCLIP-10PK

- Aluminium cast locking clip with SS304 self tapping screws
- Optional extra for install. Acts as a mechanical fix to prevent chance of side frames splaying open. Consider if installing side frames to timber posts which may move/twist OR if side frames installed onto aluminum posts for large fence runs generally not required for side frame installs to pillars.




#### Louvre brackets

1 x LEFT & 1 x RIGHT

Order Code: QS-LB

- 1 x left and 1 x right bracket per pack.
- Die cast aluminum
- Suits 2.56" x .65" slat Press brackets onto end of slat then insert bracket into side frame
- Cost effective and fast way to achieve a fixed louvre finish



Images & drawings are not to scale

**40° FINAL SLAT ANGLE** 





#### 4 PACK Black or White finish

Order Code: SS-POSTPLUG-4PK

SS-POSTPLUG-4PK-W

- 1.25"mm outer top suits .98" hole
- Suits post wall thickness .125"
- Cap holes in posts when fixing posts to




#### **Angle Adapter**

Order Code: SS-POSTPLUG-4PK SS-POSTPLUG-4PK-W

- 1.25"mm outer top suits .98" hole
- Suits post wall thickness .125"
- Cap holes in posts when fixing posts to structures



## QUICK SCR N HORIZONTAL GATES




PEDESTRIAN GATE

PEDESTRIAN GATE FULL PRIVACY



#### NEW HEAVY DUTY GATE FRAME SYSTEM


- QSP-HDGF-KIT
   Quickscreen Heavy Duty Gate Frame Kit
- 2. QSP-HDGATE-1828/2413-FR Quickscreen Heavy Duty Gate Frame 72" or 95" Long
- 3. QSP-SPACER-9-50PK Quickscreen 3/8"
- QSP-SPACER-12.7-50PK Quickscreen 1/2"
- QSP-SPACER-25.4"-50PK Quickscreen 1" Aluminium snap in spacers, available in packs of 50.
- 4. Quickscreen 2.56" or 6" slat
- 5. SS-TS-50-SS034 Hex Head SS304 Screws



19



## QUICK SCR N HEAVY DUTY GATE FRAME



#### **Heavy Duty Gate Frame**

71" long

Order Code: QSP-HDGATE-1828-FR

- PP 534 / AP534
- .125" wall thickness with .2" center web
- •.125" radius corners

#### Powder coat colors —














W

#### **Heavy Duty Gate Frame**

95" long

Order Code: QSP-HDGATE-2413-FR

- PP 534 / AP534
- .125" wall thickness with .2" center web
- •.125" radius corners

#### Powder coat colors —













## Heavy duty gate frame cap (2 pack)

Metal End Plate

50 PACK

Spacer blocks

½" SPACERS

· Aluminum spacers

· Snaps into Quickscreen post

Powder coat colors —

Order Code: QSP-HDGFC-2PK • Includes 4 x plates & 18 screws



50pk Self drilling screw SS304

Order Code: SS-TS-50-SS304



## 50 PACK

Spacer blocks %" SPACERS

Order Code: QSP-SPACER-9-50PK

- Aluminum spacers
- · Snaps into Quickscreen post
- Fast and easy install with post, slats and spacers

#### Powder coat colors —















• Fast and easy install with post, slats



Order Code: QSP-SPACER-12.7-50PK









50 PACK

Spacer blocks

· Snaps into Quickscreen post

Powder coat colors —

1" SPACERS

Aluminum spacers

and spacers



• Fast and easy install with post, slats

Order Code: QSP-SPACER-25.4-50PK



Images & drawings are not to scale



 Adjust tension from both ends of the hinge No visible fixings

• Decorative trim covers available in black finish

• D&D patented tension adjustment

• Super strong engineering polymers and stainless steel components

• Strong, moulded polymer and stainless steel

• Won't rust, bind, sag or stain

0.75"

gap spacing

on the other side

- Limited lifetime warranty
- Pool fencing compliant Rated for gates up to 150lbs

One alignment leg on hinge allows for quick and

sturdy fixing on one side with flexible positioning



TRU**Close**®

GATE HARDWARE & ACCESSORIES

**HEAVY DUTY** 

## TruClose® hinge pair Heavy duty

1 ALIGNMENT LEG

D&D code: TCHD1AS3BT

Order Code: TC-H-AT-HD-B



0.59" - 1.57"

#### KEYED TO DIFFER

- · Lockable from both sides of gate
- · Locks are keyed to alike · Rekeyable, 6-pin security lock
- Fits up to 6" deep posts
- Black polymer



#### Lokk Latch® deluxe

D&D code: LL3PWA

Order Code: LL-DL





#### **D&D Gate Stop** Black Polymer Finish

Order Code: SS-GS

- Ideal gate alignment device
- Prevents damage to latches & hinges
- Great reduces gate slam noise
- Tough, durable polymer + rubber bumper



#### **D&D Padlockable Drop Bolt** Black Finish

Order Code: QB124

- Powder coated black, stainless teel drop-bolt
- Padlockable (\*Padlock not included)
- Tough, moulded polymer mounting system





## QUICK SCR≡N<sup>™</sup> HEAVY DUTY GATE FRAME

QSP-HDGATE-SET



## Quickscreen Heavy Duty Top and Bottom Rail

84" long

Order Code: QSP-HDGATE-TBRAIL-2134

• Two required per fence panel

Powder coat colors —















# QUICK SCR = N


# **FULL PRIVACY SYSTEM**

We are excited to offer this new system as an attractive alternative to current full privacy systems in the market. Our core goal with this product was to provide a full privacy fencing system with all the benefits of aluminum at a price that makes it available to a greater section of the market.

We achieve this with a slimline T&G board that we have designed to be very strong whilst light weight. Our T&G board uses a combination of intelligent extrusion design and structural grade alloys to achieve this. We further compliment the system through the adaption of our patented friction fit technology to provide a framing system that is very quick to assemble on site.

As a business opportunity all the numbers stack up well considering the possible market penetration this product has due to its price point.

For more information on distribution of this product please call.



## HIGHEST QUALITY FINISHES Our range of genuine AAMA 2603 powder coat finishes has been carefully selected to include the most sought after colors on offer All components are suitably pre-treated prior to powder coating and are applied by fully accredited coating facilities W TB Textured Black Pearl white В G Woodland Black SATIN

# FULL PRIVACY BOARD 6 3/16" (6.18") WALL THICKNESS: 1/16" (.05") F\*TU - 262MPa (.06" wall) 5 15/16" (5.91") Coverage

NOTE: IMAGES AND DRAWINGS NOT TO SCALE



**FULL PRIVACY** 



## QUICK SCR = N FULL PRIVACY PANELS



PROFILE	DESCRIPTION	LENGTH	QTY
	QFP-1804TGB	71"	1

Quickscreen Full Privacy T & G Board - 6"  $x \frac{5}{8}$ " @ 71" long Order Code: QFP-1804TGB




PROFILE	DESCRIPTION	LENGTH	QTY
	QFP-1804TGB	95"	1

Quickscreen Full Privacy T & G Board - 6"  $x \frac{5}{8}$ " @ 95" long Order Code: QFP-2415TGB

## QUICK SCR N FULL PRIVACY SYSTEM

- 1. Quickscreen Full Privacy Horizontal Capping Rail
- 2. Quickscreen Full Privacy T&G Board
- 3. 1 Way, 2 Way, or Universal Posts





## **Quickscreen Full Privacy Horizontal Capping Rail**

71" & 95" long

Order Code: QFP-150-1804FPHC / QFP-150-2415FPHC



## Quickscreen Post / Side Frame infill spacer 95"

Order Code: QS-SPACER-2413

- Can use to modify post configuration
- Can be cut down for custom spacing or to fill gaps in on post.

Powder coat colors —










Images & drawings are not to scale




Images & drawings are not to scale

Images & drawings are not to scale

## QUICK SCR = N POSTS - 1 WAY POSTS BOXED

ORDER CODE: QSP-65HD-2413-3WAY




PROFILE	DESCRIPTION	LENGTH	QTY
	2.56" x 2.56" 1 Way Post	95"	1
	Post Insert	24"	1

Powder coat colors —

W

## QUICK SCR N POSTS - 2 WAY POSTS BOXED

ORDER CODE: QSP-65HD-2413-3WAY




PROFILE	DESCRIPTION	LENGTH	QTY
	2.56" x 2.56" 2 Way Post	95"	1
	Post Insert	24"	2

Powder coat colors –



## QUICK SCR IN UNIVERSAL POST

ORDER CODE: QSP-65HD-2413-3WAY





PROFILE	DESCRIPTION	LENGTH	QTY
	2.56" x 2.56" Universal Post	95"	1
	Post Insert	24"	2
	Post Insert	95"	2

Powder coat colors —











#### **Universal Post Flat Top Plate**

POWDER COATED ALUMINUM

Order Code: QS-TP

- Alloy ADC12 aluminum plate .12" thick
- 2 screws included

Powder coat colors —










29





## Universal post base plate set 1x base plate & screws

POWDER COATED Aluminum

Order Code: XP-65BP-SETU

- 4.53"x4" base plate (.5" thick) with fixing holes
- Simply screw base plate into post screw flutes
  12G screws included in set
- .24 00.0110 ...014404 ... 00

#### Powder coat colors —











# P

## Two part domical cover POWDER COATED ALUMINIUM

Order Code: XP-65-DC-2P

- Suits 2.56"x2.56" post with base plate
- 4.8"x4.17" outer 2.64" x 2.64" inner
- · Alloy ADC12
- Cover can be fitted to posts after fence is installed.

#### Powder coat colors —















## Post flat top plate

POWDER COATED ALUMINUM

Order Code: XP-65-TP

- Alloy ADC12 aluminum plate .12" thick
- Press into post screw flutes for secure fixing

#### Powder coat colors —











Images & drawings are not to scale



## QUICK SCR N HORIZONTAL FULL PRIVACY SYSTEM





## **Heavy Duty Gate Frame**

71" long

Order Code: QSP-HDGATE-1828-FR

- PP 534 / AP534
- Alloy 6063 T6
- .125" wall thickness with .2" center web
- .125" radius corners



## Heavy duty gate frame cap (2 pack)

Metal End Plate

Order Code: QSP-HDGF-2PK • Includes 4 x plates & 18 screws





#### 50 pack self drilling screw SS304

Order Code: SS-TS-50-SS304



## **Quickscreen Full Privacy Horizontal Capping Rail**

71" & 95" long

Order Code: QFP-150-1804FPHC / QFP-150-2415FPHC





## **Quickscreen Heavy Duty** Top and Bottom Rail

84" long

Order Code: QSP-HDGATE-TBRAIL-2134



## Heavy duty gate frame cap (2 pack)

Metal End Plate

Order Code: QSP-HDGF-KIT • Includes 4 x plates & 18 screws









Images & drawings are not to scale



## GATE HARDWARE & ACCESSORIES

0.75"

One alignment leg on hinge allows for quick and sturdy fixing on one side with flexible positioning on the other side

- D&D patented tension adjustment
- Strong, moulded polymer and stainless steel
- Adjust tension from both ends of the hinge
- No visible fixings
- Decorative trim covers available in black finish
- Super strong engineering polymers and stainless steel components
- Won't rust, bind, sag or stain
- Limited lifetime warranty
- Pool fencing compliant Rated for gates up to 150lbs



D° TRUCIOSE° HEAVY DUTY

TruClose® hinge pair Heavy duty

1 ALIGNMENT LEG

D&D code: TCHD1AS3BT

Order Code: TC-H-AT-HD-B





0.59" - 1.57"

#### KEYED TO DIFFER

- Lockable from both sides of gate
- · Locks are keyed alike
- Rekeyable, 6-pin security lock • Fits up to 6" deep posts
- Black polymer



D° LOKK**Latch**° DELUXE

Lokk Latch® deluxe

D&D code: LL3PWA

Order Code: LL-DL





## QUICK SCR N SLIDING GATE OPTIONS

#### SELECT FROM A RANGE OF SLIDING GATE OPTIONS

You can now make an array of sliding gate designs using our new heavy duty gate frame and vertical top and bottom rail system. This is achieved by creating multiple gate modules and then connecting them to each other using the gate frame as a joiner/midrail.

Save time and money without requirement of fully fabricating and welding.

Contact us for detailed assembly instructions.

#### Horizontal slat sliding gate.


2.56" or 6" slats or combination with 3/8", 1/2" or 1" slat spacing.

Patended 'no weld' gate side frames for fast assembly.

#### Full privacy horizontal gate.

2.56" or 6" slats or combination.








Sliding gate top rail 6100mm long

Order Code: XPSG-6100-TR



2

## Sliding gate bottom rail

6100mm long Order Code: XPSG-6100-BR



## **Heavy Duty Mid Rail**

Order Code: XPSG-WHEEL






- .125" wall thickness with .2" center web
- •.125" radius corners



2.56", 6" or full privacy slat Refer page 4, 6 or 44





frame cap (2 pack) Metal End Plate


Order Code: QSP-HDGF-2PK Includes 4 x plates & 18 screws











%" SPACERS Order Code: QSP-SPACER-9-50PK



50 PACK Spacer blocks

½" SPACERS Order Code: QSP-SPACER-12.7-50PK



50 PACK Spacer blocks 1" SPACERS

Order Code: QSP-SPACER-25.4-50PK QS-SPACER-2413



Quickscreen infill spacer 95"

Order Code:



PACK OF 16 Gate frame screws

12Gx2.56" HEX FLANGE HEAD

Order Code: XP-SCREWSGF-16PK



## Sliding gate wheel clamping set

Order Code: XPSG-WHEEL-CS Required for clamping wheels to sliding gate bottom rail.



Sliding gate wheel Order Code: XPSG-WHEEL



## Steel sliding gate track

3000mm long or 6000mm long Order Code: XPSG-3000-TRACK-ST XPSG-6000-TRACK-ST



Slide guide Order Code: XPSG-GUIDE

